

**TIG**



**SOLDADURA Y CORTE**

**SR-17 / 17V**  
**SR-26 / 26V**  
**SR-18W**



**TIG**

# TIG



## SOLDADURA Y CORTE

**SR-17 / 17V**  
**SR-26 / 26V**  
**SR-18W**

					(mm)	(l/min)	
<b>SR-17/17V</b>	GAS	<b>140</b>	120	109	93	0.5-2.4	3-7
<b>SR-26/26V</b>	GAS	<b>240</b>	206	186	160	0.5-4.0	3-9
<b>SR-18W</b>	H <sub>2</sub> O	<b>320</b>	275	248	213	0.5-4.0	3-11

\*\* Se recomienda una capacidad de refrigeración del equipo de 800W

**SOLO MODELOS DE REFRIGERACIÓN POR LÍQUIDO:**

CAUDAL MIN. DE REFRIGERACIÓN: 1.4 l/min.

PRESIÓN MÍN. Y MÁX. DE ENTRADA DE REFRIGERACIÓN: 2-3.5 Bars



**CONTROLES ELÉCTRICOS:**

MICROINTERRUPTOR/PULSADOR DE 50mA - 24V EN AC

**CLASE DE TENSIÓN:** L = 113V

LAS TENSIONES DE CARGA ESTÁN ADECUADAS A LA NORMATIVA:

UNE-EN 60974/1



**TIG****SOLDADURA Y CORTE**
**SR-17 / 17V**  
**SR-26 / 26V**  
**SR-18W**

MOD.	CÓDIGO	DESCRIPCIÓN	PZAS./CAJA
<b>SR-17/SR-17V</b>	217VI04B	ANTORCHA BITUBO SR-17V IMPACT 4 MTRS. 10/25	1
	217VI08B	ANTORCHA BITUBO SR-17V IMPACT 8 MTRS. 10/25	1
	217EI04B	ANTORCHA BITUBO SR-17 IMPACT 4 MTRS. 35/50	1
	217EI08B	ANTORCHA BITUBO SR-17 IMPACT 8 MTRS. 35/50	1
	217EI04	ANTORCHA COAXIAL SR-17 IMPACT 4 MTRS. 35/50	1
	217EI08	ANTORCHA COAXIAL SR-17 IMPACT 8 MTRS. 35/50	1
<b>SR-26/SR-26V</b>	226VI04B	ANTORCHA BITUBO SR-26V IMPACT 4 MTRS. 35/50	1
	226VI08B	ANTORCHA BITUBO SR-26V IMPACT 8 MTRS. 35/50	1
	226EI04B	ANTORCHA BITUBO SR-26 IMPACT 4 MTRS. 35/50	1
	226EI08B	ANTORCHA BITUBO SR-26 IMPACT 8 MTRS. 35/50	1
	226EI04	ANTORCHA COAXIAL SR-26 IMPACT 4 MTRS. 35/50	1
	226EI08	ANTORCHA COAXIAL SR-26 IMPACT 8 MTRS. 35/50	1
<b>SR-18W</b>	218EI04	ANTORCHA COAXIAL SR-18W IMPACT 4 MTRS. 35/50	1
	218EI08	ANTORCHA COAXIAL SR-18W IMPACT 8 MTRS. 35/50	1
	218EI04P	ANTORCHA COAXIAL PIEL SR-18W IMPACT 4 MTRS. 35/50	1
	218EI08P	ANTORCHA COAXIAL PIEL SR-18W IMPACT 8 MTRS. 35/50	1

POS.	CÓDIGO	DESCRIPCIÓN	PZAS./BOLSA	
R1	299TPLG	TAPA LARGA	SR-17-V/18W/26-V -57Y02- 5	
R2	299TPMN	TAPA MEDIANA	SR-17-V/18W/26-V -300M- 5	
R3	299TPCT	TAPA CORTA	SR-17-V/18W/26-V -57Y04- 5	
R4	299TP01	JUNTA TÓRICA TAPA TIG	SR-17-V/18W/26-V -98W77- 10	
R5	299PZ10	PINZA PORTATUGSTENO Ø1'0MM.	SR-17-V/18W/26-V -10N22- .040" 5	
	299PZ16	PINZA PORTATUGSTENO Ø1'6MM.	SR-17-V/18W/26-V -10N23- 1/16" 5	
	299PZ20	PINZA PORTATUGSTENO Ø2'0MM.	SR-17-V/18W/26-V -10N26- 5	
	299PZ24	PINZA PORTATUGSTENO Ø2'4MM.	SR-17-V/18W/26-V -10N24- 3/32" 5	
	299PZ30	PINZA PORTATUGSTENO Ø3'0MM.	SR-17-V/18W/26-V 5	
	299PZ32	PINZA PORTATUGSTENO Ø3'2MM.	SR-17-V/18W/26-V -10N25- 1/8" 5	
	299PZ40	PINZA PORTATUGSTENO Ø4'0MM.	SR-17-V/18W/26-V -54N20- 5/32" 5	
	R6	299DI10	DIFUSOR Ø1'0MM.	SR-17-V/18W/26-V -10N30- .040" 5
		299DI16	DIFUSOR Ø1'6MM.	SR-17-V/18W/26-V -10N31- 1/16" 5
		299DI20	DIFUSOR Ø2'0MM.	SR-17-V/18W/26-V 5
299DI24		DIFUSOR Ø2'4MM.	SR-17-V/18W/26-V -10N32- 3/32" 5	
299DI30		DIFUSOR Ø3'0MM.	SR-17-V/18W/26-V 5	
299DI32		DIFUSOR Ø3'2MM.	SR-17-V/18W/26-V -10N28- 1/8" 5	
299DI40		DIFUSOR Ø4'0MM.	SR-17-V/18W/26-V 5	
R7		29903GL	AISLANTE DELANTERO GAS LENS	SR-17-V/18W/26-V -54N01- 5
R8	299DL10	DIFUSOR Ø1'0MM. GAS LENS	SR-17-V/18W/26-V -45V24- .040" 5	
	299DL16	DIFUSOR Ø1'6MM. GAS LENS	SR-17-V/18W/26-V -45V25- 1/16" 5	
	299DL20	DIFUSOR Ø2'0MM. GAS LENS	SR-17-V/18W/26-V 5	
	299DL24	DIFUSOR Ø2'4MM. GAS LENS	SR-17-V/18W/26-V -45V26- 3/32" 5	
	299DL32	DIFUSOR Ø 3'2MM. GAS LENS	SR-17-V/18W/26-V -45V27- 1/8" 5	
	299DL40	DIFUSOR Ø4'0MM. GAS LENS	SR-17-V/18W/26-V -45V28- 5/32" 5	
	B1	299NN44	TOBERA CERÁMICA Ø19-24MM.	SR-17-V/18W/26-V -10N44- #12 10
299NN45		TOBERA CERÁMICA Ø16-20MM.	SR-17-V/18W/26-V -10N45- #10 10	
299NN46		TOBERA CERÁMICA Ø13-18MM.	SR-17-V/18W/26-V -10N46- #8 10	
299NN47		TOBERA CERÁMICA Ø11-16MM.	SR-17-V/18W/26-V -10N47- #7 10	
299NN48		TOBERA CERÁMICA Ø9-14MM.	SR-17-V/18W/26-V -10N48- #6 10	
299NN49		TOBERA CERÁMICA Ø8-13MM.	SR-17-V/18W/26-V -10N49- #5 10	
299NN50		TOBERA CERÁMICA Ø6-11MM.	SR-17-V/18W/26-V -10N50- #4 10	
B2	299NN48L	TOBERA CERÁMICA Ø9-14MM.LARGA	SR-17-V/18W/26-V -10N48L- #6 10	
	299NN49L	TOBERA CERÁMICA Ø8-13MM.LARGA	SR-17-V/18W/26-V -10N49L- #5 10	
B3	299NL14	TOBERA CERÁMICA GAS LENS	SR-17-V/18W/26-V -54N14- #8 10	
	299NL15	TOBERA CERÁMICA GAS LENS	SR-17-V/18W/26-V -54N15- #7 10	
	299NL16	TOBERA CERÁMICA GAS LENS	SR-17-V/18W/26-V -54N16- #6 10	
	299NL17	TOBERA CERÁMICA GAS LENS	SR-17-V/18W/26-V -54N17- #5 10	
	299NL18	TOBERA CERÁMICA GAS LENS	SR-17-V/18W/26-V -54N18- #4 10	

**TIG**